


Reliable Prints in High Volume

Brilliant Colours, Compact Size



^{*} Machine life is based on page count or years, whichever comes first, under standard usage conditions. Testing follows ISO/IEC24712 on plain paper in a controlled environment. Waste ink pad replacement is required before reaching the page or year limit.

Approximate page yield is extrapolated based on Brother Original Methodology using Test Patterns ISO/IEC 24712







- Print I Scan I Copy
- Windows Only
- Value for money
- Simple UI
- Plug & Print
- Borderless Printing up to A4



DCP-T430W

- Print I Scan I Copy
- Value for money
- Simple UI
- Wireless & Mobile Print (Included AirPrint)
- Borderless Printing up to A4 size
- **Email Printing**





DCP-T530DW

- Print I Scan I Copy
- Value for money
- Auto Double-sided printing
- User Friendly LCD Panel
- Wireless & Mobile Print (Included AirPrint)
- Borderless Printing up to A4 size
- **Email Printing**





Compact size, tidy space

Keep your space neat and tidy with out latest ink tank series. **Reducing 24%**^ of the space needed, plus our **front loading paper tray**, you can now place our printer anywhere in an orderly manner.

No wires, just family fun!

Experience hassle-free printing! Our wireless printer+ lets you print straight from your smartphone, so you can share family memories and important documents without a computer.

Thoughtful functions for your family

We prioritize your printing experience! Our printer features a **plug-and-play design** for quick setup, **easy-to-use buttons**, and a **clear display panel*** for effortless navigation. Plus, our **spill-free refill technology** means you can change ink without the hassle—printing has never been this simple!















- Print I Scan I Copy
- Value for money
- Auto Double-sided printing
- Automatic Document Feeder (ADF)
- Wireless & Mobile Print (Included AirPrint)
- Borderless Printing up to A4 size
- Email Printing
- User friendly LCD panel









MFC-T930DW

- Print I Scan I Copy
- Cost efficiency
- 1.8" Colour LCD
- Auto Double-sided printing
- Automatic Document Feeder (ADF)
- Wireless & Mobile Print (Included AirPrint)
- Borderless Printing up to A4 size
- Email Printing
- USB Printing (JPEG Only)
- Brother Web Connect Apps





Pro prints in different sizes

Ensure your documents look perfect from start to finish! Our printer provides **professional consistency** with **high-quality** prints in sizes like A4, A5+, A6+, LTR, and photo. Whether it's a presentation or a client photo, count on us for outstanding results that elevate your business.

Engineered for work success

Our printer is engineered for business success, offering features like convenient **shortcut keys*** for one-tap actions that boost your productivity.

The transparent ink tank makes it **easy to check** ink levels at a glance, while **hands-free refilling** keeps you focused on your work.

With ADF scanning* for up to 20 sheets at a time, you can handle documents quickly and efficiently, empowering your business to thrive!

Print on the go workflow

Staying connected is key. Our printer's mobile and email printing capabilities empower you to bring your ideas to life, no matter where you are. Imagine effortlessly printing important documents directly from your smartphone or sending files straight from your email+!



Specifications







	Transaction 1	10	100	
	DCP-T230	DCP-T430W	DCP-T530DW	DCP-T730DW
Functions		Print, Scan, Copy		
GENERAL		,,		
Memory	64MB		128MB	
Display		LED	1-Line LCD (16 character: 1-Line LCD (20 charac	
Machine Color		Black	· ·	
COLOUR PRINT FUN	CTION			
Print Speed (ESAT)(i)		Up to 16.0 ipm (mono) and 9.0 ipm (colour)		Up to 16.0 ipm (mono) and 15.5 ipm (colour)
Print Speed (Eco Mode)		Up to 27.0 ppm (mono) and 11.0 ppm (colour)		Up to 27.0 ppm (mono) and 23.0 ppm (colour)
First Print Out Time(ii) (FPOT)		Up to 6.2 sec (mono) and 9.6 sec (colour)		Up to 6.2 sec (mono) and 6.5 sec (colour)
Print Resolution	Up to 1,200 x 6,000 dpi (Windows)	Up to 1,200 x 6,000 dpi (Windows) / Up	to 1,200 x 3,600 dpi (Mac)	Up to 1,200 x 6,000 dpi
2-Sided Print	Manual ((Up to A4/LTR)	Automatic (Up	to A4/LTR)
Borderless Printing COLOUR COPY FUNC	OTION.	Yes		
Maximum	TION	U + A44TD		
Copy Size		Up to A4/LTR		I
Copy Speed (ESAT/ sESAT)		Up to 11.0 ipm (mono) and 3.5 ipm (colour)(ii)		Up to 11.0 ipm (mono) and 8.0 ipm (colour)(iv)
Copy Speed (FCOT)(v)		Up to 13.0 sec (mono) and 28.5 sec (colour)		Up to 13.0 sec (mono) and
Copy Resolution		1,200 x 1,800 dpi		25.0 sec (colour) 1,200 x 2,400 dpi
Enlargement / Reduc-	25% - 400% in 1% increments (via Remote Copy) 25% - 400% in 1% increments			
tion Ratio N in 1 Copy		4-in-1 (via Remote Copy)	2-in-1 / 2-in-1 (ID) / 4-in-1	
COLOUR SCAN FUNC		4-III-1 (via Helilote Copy)	2-111-1 / 2-111-1 (10) / 4-111-1	
Maximum		He to AAUTD		
Scan Size		Up to A4/LTR		
Scan Resolution	Optical: Up to 1,200 x 2,400 dpi Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)			Optical: Up to 1,200 x 2,400 dpi (ADF: Up to 1,200 x 6,000 dpi) Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)
Scan Speed (@ 100 dpi)	From scanner FB: 3.35 sec / 4.38 sec (mono/color)			
"Scan To" Feature		Image, OCR, Email, File	•	
CONNECTIVITY/NET\	WORKING			
Interface	Hi-Speed USB 2.0	High Speed USB 2.0,Wireless Direct ^(viii) , Wireless Lan (2.4GHz / 5.0GHz)	High Speed USB 2.0, WiFi-Direct, W	ireless Lan (2.4 GHz / 5.0 GHz)
Mobile Solutions	NA Brother Mobile Connect App (for Android/iOS/Harmony OS) , AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)			Print Service Plugin (for Android)
Desktop	iPrint&Scan Desktop App (for Windows OS only)		iPrint&Scan Desktop App	
Solutions Email Brint				
Email Print PAPER HANDLING	NA		Yes	
Paper Input		Up to 150-sheets (80 g/m	52)	
(Standard Tray)		Op to 150-sneets (80 g/ii	r)	
Paper Input (Manual Feed Slot)		1 Sheet		
Paper Output		Up to 50-sheets (up to A	4)	I
Automatic Document Feeder		NA		Up to 20-sheets (80g/m²)
Paper Handling Sizes (Standard Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x	52mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127: m/3.5x5"), Mexico Legal, India Legal (*HK and TWN suppr		velope, Monarch, Photo-L(89x127m-
Paper Handling Sizes (Manual Feed Slot)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x	52mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127: m/3.5x5"), Mexico Legal, India Legal (*HK and TWN supp	x178mm/5x7"), C5 Envelope, Com-10, DL Env	velope, Monarch, Photo-L(89x127m-
Media Type (Standard Tray)		Plain, Inkjet, Glossy (cast/resin), Recycled [Me		
Media Type (Manual Feed Slot)		Plain, Inkjet, Glossy (cast/resin), Recycled [Me	edia weight 64-300g/m²]	
SUPPORTED OS AND) SOFTWARE			
		Windows: 10 / 11	Windows: 10 / 11 / Serve	
Supported Operating Systems ^(xii)	VVIndows: 107 11			OS OS OS
Management Tools SUPPLIES	Embedded Web Server		min Light ^(x) , Embedded Web Server	
Ink Bottle ^(xi)		BTD100 BK: Approximate Yield 7,50	00 A4 pages	
	LY DEDTH Y HEIGHT (MEIGHT)	BTD100 C/M/Y: Approximate Yield 5,	000 A4 pages	
•	X DEPTH X HEIGHT (WEIGHT)]	43mm x 148.5mm	390mm x 343mm x 148.5mm	
Without Carton		6.3kg)	(7.2kg)	390mm x 343mm x 182.5mm (8.6kg)
				50.000 -
OTHERS Machine Life Local Warranty		30,000 pages or 5 years years carry in* or 30,000prints whichever comes first		50,000 pages or 5 years 3 years carry in* or 50,000prints

- (i) Based on ISO/IEC 24734.
- For more information, please refer to www.brother.com/rd/printspeed.

 Based on ISO/ICE 17629.
- For more information, please refer to www.brother.com./rd/printspeed.
- Based on ISO/IEC 29183 for models without Automatic Document Feeder. For more information, please refer to www.brother.com/rd/printspeed.
- (ii) Based on ISO/IEC 24735 for models with Automatic Document Feeder only.
- For more information, please refer to www.brother.com/rd/printspeed.
 © Based on ISO/IEC 24735 Annex D.

- (vi) Based on ITU-T Test Chart No 1/MMR.
- (4) Receiving is for Windows® only. This machine has Wireless Direct function to connect a machine and a mobile device.
- driver is not provided.
- Not supported on Mac and Linux.

 Available for download at http://support.brother.com.
- (xi) Approximate page yield is extrapolated based on Brother original
- Methodology using Test Patterns ISO/IEC 24712.

 (iii) For the latest driver updates, visit http://support.brother.com
- Specific models carry different quantities of ink bottles. Quoted approx. yields are extrapolated based on Brother original methodology using Test Pattern ISO/IEC 24712. Quoted yields are not based on ISO/IEC 24711.
- Size reduction compared to predecessor T720 model.For selected models only.

Specifications

	MFC-T930DW		
Functions	Print, Scan, Copy, Fax		
GENERAL	128MB		
Memory	1.8" Colour LCD		
Display Machine Color	Black		
COLOUR PRINT FUNCTION	DIACK		
Print Speed (ESAT)®	Up to 17.0 ipm (mono) and 16.5 ipm (colour)		
Print Speed (Eco Mode)	Up to 30.0 ppm (mono) and 26.0 ppm (colour)		
First Print Out Time(ii) (FPOT)	Up to 6.0 sec (mono) and 6.5 sec (colour)		
Print Resolution	Up to 1,200 x 6,000 dpi		
2-Sided Print	Automatic (Up to A4/LTR)		
Borderless Printing	Yes		
COLOUR COPY FUNCTION	165		
Maximum Copy Size	Up to A4/LTR		
Copy Speed (ESAT/sESAT)	Up to 13.0 ipm (mono) and 10.5 ipm (colour) ⁽ⁿ⁾		
Copy Speed (FCOT)(v)	Up to 10.5 sec (mono) and 21.0 sec (colour)		
Copy Resolution	1,200 x 2,400 dpi		
Enlargement / Reduction	25% - 400% in 1% increments		
Ratio			
N in 1 Copy	2-in-1 / 2-in-1 (ID) / 4-in-1		
COLOUR SCAN FUNCTION			
Maximum Scan Size	Up to A4/LTR Ontical: Up to 1 200 v 2 400 doi: (ADE: Up to 1 200 v 600 doi)		
Scan Resolution	Optical: Up to 1,200 x 2,400 dpi (ADF: Up to 1,200 x 600 dpi) Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)		
Scan Speed (@ 100 dpi) "Scan To" Feature	From scanner FB: 3.35 sec / 4.38 sec (mono/color)		
FAX FUNCTION	Image, OCR, Email, File, USB memory		
Maximum Fax Size	A4, LTR, LEGAL (with ADF)		
Modem Speed	14.4kbps		
Memory Transmission ^(vi) / Out of Paper Reception ^(vi)	Up to 170 pages		
Speed Dials	40		
Group Dials PC-Fax (Mono)	Up to 6 groups Sending & Receiving ^(wi)		
CONNECTIVITY/NETWORKING			
Interface	High Speed USB 2.0, WiFi-Direct, Wireless Lan (2.4 GHz / 5.0 GHz), Ethernet		
Mobile Solutions	Brother Mobile Connect App (for Android/iOS/Harmony OS), AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)		
Desktop Solutions Email Print	iPrint&Scan Desktop App Yes		
Brother's Cloud Apps	Yes		
WebConnect	Yes		
	Yes Yes		
PAPER HANDLING	Yes		
PAPER HANDLING Paper Input (Standard Tray)	Yes Up to 150-sheets (80g/m²)		
PAPER HANDLING	Yes		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper)		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4)		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²)		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4)		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5")		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Enve		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray)	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray)	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x5"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray)	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x95"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/5.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray)	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x5"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA	Ves Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) Supported Operating Systems ⁽ⁱⁱⁱ⁾ Management	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (B0g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard(127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5°), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard (127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5°), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) (*LGL, Folio, Mexico Legal, India Legal is only page at a time.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] RRE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS ^(N) v12/13/14 , Linux OS , Chrome OS , Unity OS , Kylin OS BRAdmin Light ^(N) , Embedded Web Server		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems (Inc.) Management Tools	Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.55°), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.55°), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] BRAdmin Light ^(o) , Embedded Web Server BTD100 BK: Approximate Yield 7,500 A4 pages		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWAS Supported Operating Systems (Milti-Durpose Tray) Management Tools SUPPLIES	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard(127x203mm/5x8°), Photo-2L(127x178mm/5x7″), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3x55°), Mexico Legal, India Legal (*Hk and TWN support B5(JIS)/86(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard (127x203mm/5x8°), Photo-2L(127x178mm/5x7″), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5°), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/86(JIS) too.) (*LGL, Folio, Mexico Legal, India Legal is only page at a time.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems (Supported Operating Systems (Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard(127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/35x5°), Mexico Legal, India Legal (*Hk and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard (127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/5x5°), Mexico Legal, India Legal (*Hk and TWN support B5(JIS)/B6(JIS) too.) C127mm/35x5°), Mexico Legal, India Legal (*Hk and TWN support B5(JIS)/B6(JIS) too.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] ARE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOSi [®] v12/13/14 , Linux OS , Chrome OS , Unity OS , Kylin OS BRAdmin Light [®] , Embedded Web Server		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems (Inc.) Management Tools SUPPLIES Ink Bottle(Inc.) DIMENSIONS [WIDTH X DEPTITION]	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard(127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3x55), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS)) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), indexcard (127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/35x5°), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) (*LGL, Folio, Mexico Legal, India Legal is only page at a time.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] RRE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS ^(a) v12/13/14 , Linux OS , Chrome OS , Unity OS , Kylin OS BRAdmin Light(*) , Embedded Web Server BTD100 BK: Approximate Yield 7,500 A4 pages BTD100 CM/Y: Approximate Yield 5,000 A4 pages		
PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems (Signal Management Tools SUPPLIES Ink Bottle(M) DIMENSIONS [WIDTH X DEPTHWITCH Tray) Without Carton	Yes Up to 150-sheets (80g/m²) 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (glossy Paper) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard(127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/35x5°), Mexico Legal, India Legal (*Hk and TWN support B5(JIS)/B6(JIS) too.) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6°), Indexcard (127x203mm/5x8°), Photo-2L(127x178mm/5x7°), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/5x5°), Mexico Legal, India Legal (*Hk and TWN support B5(JIS)/B6(JIS) too.) C127mm/35x5°), Mexico Legal, India Legal (*Hk and TWN support B5(JIS)/B6(JIS) too.) Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²] ARE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOSi [®] v12/13/14 , Linux OS , Chrome OS , Unity OS , Kylin OS BRAdmin Light [®] , Embedded Web Server		

Machine life is based on either page count or year tallied, whichever comes first and is based on printer usage under following conditions. Printer setting: Default settings for all, Media type: Plain paper, Print pattern: ISO/IEC 24712, Environment: Normal temperature and humidity. Measurements are taken based on Brother's internal testing environment. Data for waste ink pad is based on measurement with assumed monthly usage of 50 to 1,000 pages. To maintain product's quality, the waste ink pad needs to be replaced before reaching page count or year limit depending on the environment and printer models.







atyourside@brother.com.my













Brother International (Malaysia) Sdn. Bhd. (200001027132)

Corporate Office: 02-09, 9th Floor, Menara Symphony, No 5, Jalan Professor Knoo Kay Kim, Seksyen 13, 46200 Petaling Jaya, Selangor Darul Ehsan. Customer Service Centre: 05-1, 1st Floor, Menara Symphony, No 5, Jalan Professor Khoo Kay Kim, Seksyen 13, 46200 Petaling Jaya, Selangor Darul Ehsan. Tel: +603-7884 9999 Fax: +603-7884 9988 Customer Service Email: atyourside@brother.com.my