



Colour Solutions for Professional Printing









Auto 2-Sided Printing



Touch Screen LCD 3.5"



Security Functions




Wireless Connectivity



Mobile Printing

Daily documents expressed in incredible hues. Present printouts with vivid accuracy in full detail through Brother's new series of single and multi-functional laser printers. Designed for the modern office and its workflow, each model in the line-up is crafted with rich utilities and productivity functions that enhance daily operations. Experience colour that is true to life, just as your vision

Colours That Go Beyond



True to Life

Professional printouts that are vibrantly accurate. Utilising Brother's leading LED technology, colours produced by the MFC-L8340CDW are crisp and sharp, with gradients being smooth and natural. Reduce the guesswork and excessive reprints as documents produced are as accurate as how you calibrate them on screen.

Meet High Volume Printing Needs

Print so much more at a fraction of the cost for greater value overall. With Brother's High Yield Toners, the new MFC-L8340CDW offers incredibly efficient print usage rates that reduce the need for frequent replacements. Print costs are averaged out over a longer period of time as well, keeping Total Cost of Ownership (TCO) low.

* Approximate cartridge yield is declared in accordance with ISO/IEC 19798.





Fast Prints on Demand

Speed when you need it. Both colour and monochromatic documents print at impressive output speeds on various supported types of media, such as up to 30ppm for A4. Have documents ready in hand on time, as productivity is improved thanks to less time spent waiting.

Cost & Resource **Saving Prints**

brother





Less Paper **Waste**

Up to 50% less paper waste is created while creating documents thanks to automatic 2-sided printing, saving costs in the long run.

Small & Silent

Ouiet **Operations**

Print documents quietly with Quiet Mode. Ready Mode can also be used to ensure that it runs silently on while standby.

Compact-Sized for Flexibility

The Multi-Function Centre can be integrated into workflows with ease and flexibility due to its compact size, helping you to improve productivity in any workspace.

Secure Your Documents With Fuss-Free Connectivity



Enhanced Sharing Accessibility

Built-in Wi-Fi and Wireless LAN (2.4GHz/5GHz) as standard on the MFC-L8340CDW allow for effortless usage sharing of your machine over the same network.





Connectivity for Convenience

Print and scan your documents from and to mobile devices with ease by using the Brother Mobile Connect application*. Applications like Brother Cloud Apps* and WebConnect* also assist in providing seamless scanning and printing jobs.

* The printer and the application must be on the same network to function properly

Secure Your Important Documents

The Secure Print function ensures documents are not copied or read by unauthorised users without the required four-digit PIN. Unretrieved documents are automatically deleted, saving costs in an environmentally friendly way.





High productivity, Colour LED Multi-Function Centre with Writeress Correctivity and Automatic 2-Sided Printing and Scanning Intiffs Speed (Ar-Literity) High productivity, Colour LED Multi-Function Centre with Writeress Correctivity and Automatic 2-Sided Printing and Scanning Intiffs Speed (Ar-Literity) High productivity (Speed (Ar-Literity) Seed (Ar-Lit	brother ©	
High productivity, Colour LED Multi-Function Centre with Writeress Correctivity and Automatic 2-Sided Printing and Scanning Intiffs Speed (Ar-Literity) High productivity, Colour LED Multi-Function Centre with Writeress Correctivity and Automatic 2-Sided Printing and Scanning Intiffs Speed (Ar-Literity) High productivity (Speed (Ar-Literity) Seed (Ar-Lit		MFC-L8340CDW
High productivity, Colour LED Multi-Function Centre with Writeress Correctivity and Automatic 2-Sided Printing and Scanning Intiffs Speed (Ar-Literity) High productivity, Colour LED Multi-Function Centre with Writeress Correctivity and Automatic 2-Sided Printing and Scanning Intiffs Speed (Ar-Literity) High productivity (Speed (Ar-Literity) Seed (Ar-Lit	Key Functions	Print, Scan, Copy and Fax
first Part Dut Time (Reday) 600 x 600 stg. 24:00 act 4000 x 24:00 call tolly 4-Sided Feature Automatic 2-Bided Printing OFF FEMICIONS OUR FEMICIONS Up to 30/31 spm OUR PROMETTION Up to 50/31 spm OUR PROMETTION CAP FEMICIPATION Security Office of Se	Description	
Less than 12,9/12 secs (Mono)	Print Speed (A4/Letter)	Up to 30/31 ppm
Internation tout Time (Readu)	Print Resolution	600 x 600 dpi, 2,400 dpi (600 x 2,400) quality
Ope Second CAF Letter) Op 10 30/31 cpm Open Second CAF Letter) Op 10 30/31 cpm Open Second CAF Letter) Open Second CAF Letter Letter Second CAF Letter L	irst Print Out Time (Ready)	
Copy Secol (Aff. Activer) Up to 30/31 cpm	-Sided Feature	
Separation	OPY FUNCTIONS	
Interface Part Pa	opy Speed (A4/Letter)	Up to 30/31 cpm
CAM FUNCTION 27/71 pm (M) 29/72 tpm (LTP) 29/71 pm (M) 29/72 tpm (LTP) 29/72 t	copy Resolution	600 x 600 dpi
CAN FUNCTION 27/21 (pm (AG) 29/22 (pm (LTR)) Can Seedel (Mond/Coblory) CIS Can Technology CIS Account Technology CIS Account (Applead) Max 1,200 x 1,200 dpl Account (Applead) Max 1,200 x 1,200 dpl Account (Applead) Sharepoint, E-mail, Email Server, Image, OCR, File, FTP, SFTP, Network (Windows only), USB Ax FUNCTION 33,600bps (Fax) Index peed 33,600bps (Fax) Transmission Speed Approx 2,55ec. (TIL-T Test Chart, Standard resolution, JBIG) General Transmission Speed Approx 2,55ec. (TIL-T Test Chart, Standard resolution, JBIG) Group Joil 300 locations Group Joil 300 locations Composition 250 proups Corrodoctating 250 locations CONSTITUTY/NETWORKIN Yes Vest Schot Interfered USB 20, Wi-F Direct, Wireless Lan (2,46Hz/50GHz) Control SD Direct Print Yes Vest Schot Interfered USB 20, Wi-F Direct, Wireless Lan (2,46Hz/50GHz) Vest Schot Interfered Pres Vest Cloud Apps Yes Vest Cloud Apps Ye	Reduction / Enlargement Ratio	25% - 400% in 1% increments
coat Speed (Hoton) Coloury) 27/21 kpm (AH) 29/22 kpm (LTR) coat Technology CIS controllogy CIS costolution (Optical) Max 12/200 x 12/200 dpl can To Functions Sharapoint, E-mail, E-mail Server, Image, CRF, Iber, EFT, RFT, Network (Windows only), USB XX FUNCTION Total Color (Park Park Park Park Park Park Park Park	Copy Features	N in 1
Controlled Con	CAN FUNCTION	
Resolution (Optical)	can Speed (Mono/Colour) ⁱ	27/21 ipm (A4) 29/22 ipm (LTR)
Mox. 19.200 x 19.200 dpi can To Functions	can Technology	CIS
Con To Punctions Shorepoint, E-mail, Email Server, Image, OCR, File, FTP, STP, Network (Windows only), USB XX FUNCTION XX FUNCTION Code Mspeed 33,600bps (Fax) Codem Speed Approx 25sec, CTIL-T Test Chart, Standard resolution, JBIG) International Transmission Out-of-paper Reception Up to 500 pages (TIL-T Test Chart, Standard Resolution, JBIG) Incomp Transmission Out-of-paper Reception 300 locations Group Dial 300 locations Group Dial 200 groups Toroid Casting 200 groups Control USB Direct Print VES Solutions Air Print, Mopric and Mobile Connect App VebConsct Yes VebConnect Yes AFER HANDLING Yes Unit-prope Tray / Manual Siot 30 sheets [Enviroge 3 sheets Build-prope Tray / Manual Siot 30 sheets [Enviroge 3 sheets Isedia Size (Standard Tray) 4A, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERE THERE A1 Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERE Scanpabil	esolution (Optical)	Mox 1,200 x 1,200 dpi
A FUNCTION	esolution (Interpolated)	Max. 19,200 x 19,200 dpi
Seed Speed	can To Functions	Sharepoint, E-mail, Email Server, Image, OCR, File, FTP, SFTP, Network (Windows only), USB
consmission Speed Approx. 2.5sec. (ITU-T Test Chort, Standard resolution, JBIG) emony Transmission/Out-of-paper Reception Up to 500 pages (ITU-T Test Chort, Standard Resolution, JBIG) peed Dial 300 locations rough Dial 250 locations Production of Control of Co	AX FUNCTION	
### Company Transmission/Out-of-paper Reception Up to 500 pages (TU-T Test Chart, Standard Resolution, JBIG) ### Reception Solutions Solutions Solutions ### Reception Solutions Solutions Solutions ### Reception Solutions S	odem Speed	33,600bps (Fax)
peed Dial 300 locations roup Dial 20 groups roup Dial 20 groups roudcasting ONNECTIVITY/NETWORKING Terface USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB Direct Print Onto USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB 20, Wi-Fi Direct, Wireless Lan (24GHz/50GHz) Tont USB 20, Wireless Lan (ransmission Speed	Approx. 2.5sec. (ITU-T Test Chart, Standard resolution, JBIG)
Proud Prou	lemory Transmission/Out-of-paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
	peed Dial	300 locations
ONNECTIVITY/NETWORKING terface USB 2.0, Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz) roth USB Direct Print Yes obile Solutions AirPrint, Mopria and Mobile Connect App sektop Solutions Brother iPrint&Scon rother's Cloud Apps Yes ebeconnect Yes APER HANDLING put Tray (Standard) 250 sheets put Tray (Standard) 250 sheets Ves APER HANDLING put Tray (Face Down) 150 sheets Face Down (80g/m²) 1 sheet Face-Up (straight paper path) utoput Tray (Face Down) 4, Letter, Legal, Mexican Legal, India Legal, Executive, AS, AS Long Edge, AG, JIS BS, Ad Short (270mm), Folio, 16K (195 x 270mm) THERS Cocessor Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz senory splay Scompability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) titlities & Solutions BRAdmin Light', BRAdmin Professional 4', Web Based Monogement security Features Setting Look, Secure Function Look, Secure Print, Active Directory, LDAP Printing: Average: Approx. 260W Sleep mode: Average: Approx. 10W power Source 220-240 V AC 50/60Hz closed Level (Printing) PELES roundors/Yeled Toner (TN269)* BK: Approx. 3,000 pages CMY: Approx. 2,000 pages (3page/Job) run (DR269CL) Approx. 20,000 pages (1page/Job) Approx. 3,000 pages (3page/Job)	roup Dial	20 groups
terface USB 2.0, Wi-Fi Direct, Wireless Lan (24GHz/5.0GHz) Yes boile Solutions AirPrint, Mopria and Mobile Connect App sektop Solutions Brother iPrint.S.Can Yes bebConnect Yes AFER HANDLING put Tray (Standard) 250 sheets utti-purpose Tray / Manual Slot Standard Standard Tray/MPTray) 50 sheets Pace Down (80g/m²) 1 sheet Face-Duy (straight paper path) uttrougnose (ADF) 60 to 163g/m² (16 to 43lb) aedia Size (Standard Tray) A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERS Tracessor Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz semony 512MB splay 35" FFT Colourt.CD S Compobility Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRing (x86/x64 environment) titlities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management security Features Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP ower Source 220-240 V AC 50/60Hz obser Source (Printing) BK: Approx. 1500 pages CMY: Approx. 2300 pages trunc(DR269CL) Approx. 3,000 pages (1 page/job) Approx. 3,000 pages (3page/job)	roadcasting	250 locations
ront USB Direct Print yes AliPrint, Mopria and Mobile Connect App Brother Print Scan Brother Print Scan Frother's Cloud Apps Approx 2,000 pages CMY: Approx 1,200 pages Igh-Yield Toner (TN269YL) ¹ Bis Approx 2,000 pages CMY: Approx 2,000 pages Igh-Yield Toner (TN269YL) ¹ Approx 2,0000 pages CMY: Approx 3,000 pages CMY: Approx 2,000 pages C	ONNECTIVITY/NETWORKING	
AirPrint, Mopria and Mobile Connect App sesktop Solutions Brother IPrintsCora Yes APER HANDLING APER HANDLING Iput Tray (Standard) Suther-prints (Standard) Suther-proper Tray / Manual Slot Author Topes Tray / Manual Slot Author	nterface	USB 2.0, Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz)
Brother iPrint&Scon rother's Cloud Apps Yes Yes APER HANDLING put Tray (Standard) strong Fray / Manual Slot utth-purpose Tray / Manual Slot utth-purpose Tray / Manual Slot utth put Tray (Standard) sedia Weights (Standard Tray/MPTray) sedia Size (Standard Tray/MPTray) A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERS THERS TOCESSO Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz sisplay S Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) titlities & Solutions BRAdmin Light', BRAdmin Professional 4*, Web Based Management excurity Features security Features Setting Lock, Secure Function Lock, Secure Function Lock, Secure Print, Active Directory, LDAP over Consumption (Printing/Sleep) Printing: Average: Approx. (20W Sleep mode: Average: Approx. 10W DVPLIES tandard-Yield Toner (TN269/L) BK: Approx. 1,500 pages CMY: Approx. 1,200 pages Igh-Yield Toner (TN269/L) BK: Approx. 2,000 pages (CMY: Approx. 2,300 pages (page/job) Approx. 3,000 pages (Spage/job)	ront USB Direct Print	Yes
rother's Cloud Apps rother's Cloud (Rother) See on wellopes up to form thick rother Force Up (Rother Apps) See on wellopes up to form thick rother Force Cloud Apps rother Force Tool out (Rother Apps) See on wellopes and the Cloud Apps rother Consumption (Printing) See on wellopes and the Cloud Apps rother Source See on Alleis Enceture Print, Active Directory, LDAP rother Source See on Apps (Rother Apps (Rother) (Rother) (Rother) See on wellopes (Rother Apps (Rother) (Rother) (Rother) (Rother) See on wellopes (Rother) (Rother) (Rother) (Rother) See on wellopes (Rother Cloud Apps (Rother) (Roth	obile Solutions	AirPrint, Mopria and Mobile Connect App
APER HANDLING APER HANDLING put Troy (Standard) uttl-purpose Tray / Manual Slot At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERS rocessor Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz emory 512MB isplay 55° TFT ColourLCD 5 Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRing (x86/x64 environment) titlities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management security Features Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP over Consumption (Printing/Sleep) Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W over Source 220-240 V AC 50/60Hz oise Level (Printing) LpAm = 48 dB(A) UtpPLIES trandard-Vield Toner (TN269VL) BK: Approx. 1,500 pages CMY: Approx. 1,200 pages igh-Vield Toner (TN269KL) BK: Approx. 3,000 pages (1 CMY: Approx. 2,300 pages furm (DR269CL) Approx. 2,000 pages (1 page/Job) Approx. 3,000 pages (3 page/Job)	esktop Solutions	Brother iPrint&Scan
APER HANDLING put Tray (Standard) 250 sheets 150 sheets Envelope: 3 envelopes up to 6mm thick utbrupt Tray (Face Down) 150 sheets Face Down (80g/m²) 1 sheet Face-Up (straight paper poth) utomatic Document Feeder (ADF) 60 to 163g/m² (16 to 43lb) edia Size (Standard Tray/MPTray) A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERS racessor Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz emory 512MB isplay 512MB isplay 55 Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) tillities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management security Features security Features Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP ower Consumption (Printing/Sleep) Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W ower Source 220-240 V AC 50/60Hz oise Level (Printing) LpAm = 48 dB(A) UPPLIES tandard-Yield Toner (TN269)* BK: Approx. 1,500 pages CMY: Approx. 2,300 pages igh-Yield Toner (TN269XL)* BK: Approx. 3,000 pages (Ipage/job) Approx. 2,000 pages (3page/job)	rother's Cloud Apps	Yes
tuiti-purpose Tray / Manual Slot iuti-purpose Tray / Manual Slot iuti-purpose Tray / Manual Slot iutiput Tray (Face Down) 150 sheets Face Down (80g/m²) 1 sheet Face-Up (straight paper path) iutomatic Document Feeder (ADF) iedia Weights (Standard Tray/MPTray) iedia Size (Standard Tray) A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERS rocessor Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz isplay S Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) tilities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management security Features over Consumption (Printing/Sleep) over Consumption (Printing/Sleep) Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W over Source olse Level (Printing) UPPLIES tandard-Yield Toner (TN269YL)* BK: Approx. 3,000 pages CMY: Approx. 2,300 pages rum (DR269CL) Approx. 20,000 pages Ipage/job) Approx. 3,000 pages (3page/job)	/ebConnect	Yes
tulti-purpose Tray / Manual Slot turput Tray (Face Down) 150 sheets Face Down (80g/m²) 1 sheet Face-Up (straight paper path) 150 sheets Face Down (80g/m²) 1 sheet Face-Up (straight paper path) 150 sheets 150 sheet	APER HANDLING	
tutoratic Document Feeder (ADF) substantic Document Feeder (ADF) s	nput Tray (Standard)	250 sheets
At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Short Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) At Letter, Legal, Mexican Legal, India Legal, Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm) At Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short	lulti-purpose Tray / Manual Slot	30 sheets Envelope: 3 envelopes up to 6mm thick
ledia Weights (Standard Tray/MPTray) A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERS TOCCESSOR Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz Isiplay S5 Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) tillities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management security Features Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP over Consumption (Printing/Sleep) Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W over Source 220-240 V AC 50/60Hz oise Level (Printing) UPPLIES tandard-Yield Toner (TN269)" BK: Approx. 1,500 pages CMY: Approx. 1,200 pages igh-Yield Toner (TN269XL)" BK: Approx. 20,000 pages (1page/job) Approx. 30,000 pages (3page/job)	utput Tray (Face Down)	150 sheets Face Down (80g/m²) 1 sheet Face-Up (straight paper path)
A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm) THERS TOCCESSOR Speed MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz Idemory 512MB Idemory 512MB Idemory 552MB Idemory S Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) Itilities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management BRAdmin Light*, BRAdmin Professional 4*, Web Based Management BRADPORT Source Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W TOWN Source Source 100	utomatic Document Feeder (ADF)	50 sheets
THERS TOCCESSOR Speed MAIN: CORTEX-A53 800MHz Sub: ARM946 133MHz Import S12MB Isplay S512MB Isplay S50mpability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) Itilities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management BRAdmin Light*, BRAdmin Light*, BRAdmin Professional 4*, Web Based Management BRAdmin Lig	ledia Weights (Standard Tray/MPTray)	60 to 163g/m² (16 to 43lb)
MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz lemory 512MB isplay 3.5" TFT ColourLCD S Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) tilities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management ecurity Features Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP ower Consumption (Printing/Sleep) Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W over Source 220-240 V AC 50/60Hz close Level (Printing) LpAm = 48 dB(A) UPPLIES tandard-Yield Toner (TN269)" BK: Approx. 1,500 pages CMY: Approx. 1,200 pages igh-Yield Toner (TN269XL)" BK: Approx. 3,000 pages (3page/job) Approx. 2,300 pages (3page/job)	ledia Size (Standard Tray)	A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm)
Isiphay 512MB Isiphay 3.5" TFT ColourLCD IS Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) Itilities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management BRAdmin Light*, BRAdmin Light*,	THERS	
S Compability S Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)	rocessor Speed	MAIN: Cortex-A53 800MHz Sub: ARM946 133MHz
S Compability S Compability Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)	·	<u> </u>
Windows: Win10, 11 Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) tilities & Solutions BRAdmin Light*, BRAdmin Professional 4*, Web Based Management Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP ower Consumption (Printing/Sleep) Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W ower Source 220-240 V AC 50/60Hz LpAm = 48 dB(A) UPPLIES tandard-Yield Toner (TN269) ^{II} BK: Approx. 1,500 pages CMY: Approx. 1,200 pages igh-Yield Toner (TN269XL) ^{II} BK: Approx. 3,000 pages (Tpage/job) Approx. 2,300 pages (3page/job)		
BRAdmin Light*, BRAdmin Professional 4*, Web Based Management Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP Dever Consumption (Printing/Sleep) Dever Consumption (Printing/Sleep) Dever Consumption (Printing/Sleep) Dever Consumption (Printing/Sleep) Dever Source Dever Source Print, Active Directory, LDAP Dever Source Print, Activ	· ·	
Setting Lock, Secure Function Lock, Secure Print, Active Directory, LDAP Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W Dower Source 220-240 V AC 50/60Hz LpAm = 48 dB(A) UPPLIES Randard-Yield Toner (TN269) ^{II} BK: Approx. 1,500 pages CMY: Approx. 1,200 pages igh-Yield Toner (TN269XL) ^{II} BK: Approx. 3,000 pages CMY: Approx. 2,300 pages Approx. 20,000 pages (1page/job) Approx. 30,000 pages (3page/job)	tilities & Solutions	
Printing: Average: Approx. 620W Sleep mode: Average: Approx. 10W ower Source 220-240 V AC 50/60Hz oise Level (Printing) LpAm = 48 dB(A) UPPLIES BK: Approx. 1,500 pages CMY: Approx. 1,200 pages tandard-Yield Toner (TN269) ^{III} BK: Approx. 3,000 pages CMY: Approx. 2,300 pages igh-Yield Toner (TN269XL) ^{III} Approx. 20,000 pages (1page/job) Approx. 30,000 pages (3page/job)		· · · · · · · · · · · · · · · · · · ·
cover Source 220-240 V AC 50/60Hz cise Level (Printing) LpAm = 48 dB(A) UPPLIES tandard-Yield Toner (TN269) ^{III} BK: Approx. 1,500 pages CMY: Approx. 1,200 pages igh-Yield Toner (TN269XL) ^{III} BK: Approx. 3,000 pages CMY: Approx. 2,300 pages rum (DR269CL) Approx. 20,000 pages (1page/job) Approx. 30,000 pages (3page/job)		5
coise Level (Printing) LpAm = 48 dB(A) UPPLIES BK: Approx. 1,500 pages CMY: Approx. 1,200 pages tandard-Yield Toner (TN269) ^{III} igh-Yield Toner (TN269XL) ^{III} BK: Approx. 3,000 pages CMY: Approx. 2,300 pages rum (DR269CL) Approx. 20,000 pages (1page/job) Approx. 30,000 pages (3page/job)		
UPPLIES tandard-Yield Toner (TN269) ^{III} BK: Approx. 1,500 pages CMY: Approx. 1,200 pages ligh-Yield Toner (TN269XL) ^{II} BK: Approx. 3,000 pages CMY: Approx. 2,300 pages rrum (DR269CL) Approx. 20,000 pages (1page/job) Approx. 30,000 pages (3page/job)		· ·
BK: Approx. 1,500 pages CMY: Approx. 1,200 pages CMY: Approx. 2,300 p		
BK: Approx. 3,000 pages CMY: Approx. 2,300 p		BK: Approx. 1,500 pages CMY: Approx. 1,200 pages
Approx. 20,000 pages (1page/job) Approx. 30,000 pages (3page/job)		
	DIMENSIONS & WEIGHT	- Abbreau Felena bades (Abades Jose) Abbreau aelana bades (Abades Jose)

Dimension (W x D x H)

* For Window by download only
In accordance with ISO/IEC 17991
In accordance with ISO/IEC 19798

Weight w/o Carton, w/ toner/drum



Working with you for a better environment www.brotherearth.com





410 x 462 x 401 mm

ASA: 21.6 kg | PHL: 21.4 kg

Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.